

Real World Test Plan

GENERAL INFORMATION

Plan Report ID Number: rwt_plan_2021

Developer Name: Metasolutions Inc

Product Name(s): ZoomMD

Version Number(s): 4.1

Certified Health IT: 15.04.04.1979.Zoom.41.00.1.171227

Product List (CHPL) ID(s): 15.04.04.1979.Zoom.41.00.1.171227

Developer Real World Testing Page URL: https://www.zoommd.com/rwt_plan_2021.pdf

JUSTIFICATION FOR REAL WORLD TESTING APPROACH

Currently the Certified Health IT module, ZoomMD is sold by Metasolutions Inc as an Ambulatory Care Electronic Health Record (EHR) Software application. It is used in Ambulatory Provider Offices of all sizes, and multiple specialties, throughout the US. The applicable 2015 Edition criteria that we will include in our Real World Test (RWT) plan are:

Table 1

§170.315 (b)(1)	§170.315 (c)(2)
§170.315 (b)(2)	§170.315 (c)(3)
§170.315 (b)(3)	§170.315 (e)(1)
§170.315 (b)(6)	§170.315 (f)(1)
§170.315 (c)(1)	§170.315 (f)(2)
§170.315 (f)(5)	§170.315 (g)(8)
§170.315 (f)(7)	§170.315 (g)(9)
§170.315 (g)(7)	

These criteria were tested individually during the ONC certification process. However, in the real world these certified modules provide one seamless approach to accomplish the clinical and administrative documentation



requirements and incorporate the features and functions of all of the criteria mentioned in Table 1. To that end, the Real World Test plan will be designed to demonstrate how these combined certified criteria perform in the production environment. Since this certified product is deployed in multiple settings and specialties within the marketplace, we will design our Real World Test plan to reinforce the capabilities that we encounter in these production environments. The ZoomMD application does allow providers to fully satisfy their reporting requirements for the MIPS program.

STANDARDS UPDATES (INCLUDING STANDARDS VERSION ADVANCEMENT PROCESS (SVAP) AND UNITED STATES CORE DATA FOR INTEROPERABILITY (USCDI))

Standard (and version)	N/A
Updated certification criteria and associated	N/A
product	
Health IT Module CHPL ID	N/A
Method used for standard update	N/A
Date of ONC-ACB notification	N/A
Date of customer notification (SVAP only)	N/A
Conformance measure	N/A
USCDI-updated certification criteria (and USCDI	N/A
version)	

MEASURES USED IN OVERALL APPROACH

DESCRIPTION OF MEASUREMENT/METRIC

The Measure/Metrics and the Descriptions listed below will apply to the simultaneous and seamless use of the functionality of the applicable certified measures mentioned in Table 1. The RWT will be witnessed via Web sessions with the participants (current customers) using a mirrored production environment and real patient data. Upon completion we will observe and report the successful conformance of our customers using the certified technology as it was designed, to be able to complete the applicable 2015 Edition Certified criteria listed in Table 1 above.

The Measure/Metrics and Descriptions for Measures 1 - 9 listed below will apply to multiple criteria simultaneously to demonstrate the functionality of these certified measures: § 170.315(b)(1) Transitions of care (Receive), § 170.315(b)(2) Clinical Information Reconciliation and Incorporation, § 170.315(b)(3) Electronic Prescribing, § 170.315(c)(1) Record and Export, § 170.315(c)(2) Import and Calculate, § 170.315(c)(3) Report, §



170.315(b)(1) Transitions of care (Send), § 170.315 (e)(1) View, Download and Transmit to 3rd party, §170.315(g)(7,8,9) API. The Measure/Metrics and Descriptions for Measures 10 - 12 will apply to § 170.315(b)(6) Data export. The Measure/Metrics and Descriptions for Measures 13 and 14 will apply to § 170.315(f)(1) Transmission to Immunization Registries and Measure 15 will apply to the § 170.315(f)(2) Transmission to Public Health Agencies – Syndromic Surveillance, and Measure 16 will apply to the § 170.315(f)(5) Transmission to Public Health Agencies – Electronic Case Reporting, and Measure 17 will apply to § 170.315(f)(7) Transmission to Public Health Agencies – Health Care Surveys.

Measurement/Metric	Description
Measure 1: Clinician logs into	Clinician begins a new patient encounter in the ZoomMD certified
ZoomMD and receives a C-CDA	software with a patient referred by another clinician. With a
from a referring provider via	Direct Address and unique Surescripts credentials the clinician is
Direct Protocol with no Tech	able to have a seamless login and secure receipt of C-CDA from
Support and no errors. C-CDA has	the referring clinician using the Direct Protocol. The Common
demographic information	Clinical Data Set standard will be demonstrated in these
adjusted so PHI is not visible.	transactions through screenshots collected. Log files are also
Successful receipt of C-CDA is	captured. These will all show the successful receipt of the C-
achieved and observed.	CDA with all fields completed and arranged per provider
	preference. This will meet § 170.315(b)(1) (Receive).
Measure 2: The C-CDA is	After successful receipt of the C-CDA, the clinician validates the C-
validated, and Clinical	CDA within ZoomMD. Clinical information reconciliation for
Information Reconciliation is	medication, medication allergy, and current problem list is
performed. No errors are	performed using ZoomMD software. Common Clinical Data Set
expected.	standard will be demonstrated in these transactions through
	screenshots collected. Log files demonstrate the reconciliation.
	This will meet § 170.315(b)(2).
Measure 3: The ability to review	The clinician easily completes the review and renewal of a refill
and approve a prescription refill	request and to create and transmit a new prescription
requests and to create and	electronically within appropriate location in the ZoomMD
transmit a new e-Prescriptions.	software to meet § 170.315(b)(3) by completing the appropriate
No errors are expected.	fields in ZoomMD software.
Measure 4: Documentation of	The clinician easily completes Documentation of Medications
Medications (CQM68) is done	(CQM68) within appropriate location in the ZoomMD software to
without assistance. No errors are	meet § 170.315(c)(1) by completing the appropriate fields as they
expected.	document the patient's medications on the date of the encounter
	in ZoomMD software. It will be later reflected in the numerator
	and denominator of this MIPS CQM Dashboard with the
	generation of a QRDA file format.
Measure 5: The ability to for	The clinician completes the necessary steps to work with the
ZoomMD to use the imported	generated QRDA file format to confirm not duplicate data exists



and de-duplicated CQM data to	and the proper patients will be attributed to the eCQM under
calculate the aggregate reports	review. Numerators, denominators, exceptions and excludes will
for eCQM68 will be	be available.
demonstrated.	Measure 5 will satisfy the §170.315 (c)(2) criteria.
Measure 6: The results of the	The clinician can review the CQM Dashboard, without the need of
documentation of the eCQM68 is	EHR developer assistance, with the ability to select the:
presented on a CQM Dashboard.	• CQM
presented on a equipositional.	Reporting Period
	Provider(s)
	The Dashboard will have everything organized for easy review of
	progress throughout the year. The patients that contribute to each
	section can be identified. data The QRDA file format can be
	exported to a Registry or to the QPP portal for MIPS submission.
	Measure 6 will satisfy the §170.315 (c)(3) criteria.
Measure 7: Updated C-CDA is	Clinician sends updated C-CDA with minimal delay back to
sent back to referring partner.	referring clinician via Direct Protocol. Updated C-CDA is also sent
Successful sending of CCDA is	to the patient portal. Confirmation of sent C-CDA is captured along
achieved and observed.	with log files. This will meet § 170.315(b)(1) (Send).
Measure 8: Access via patient	Real-time patient data will be adjusted to protect PHI before
portal - Observation of the View,	Measure 5 is completed. A patient will have access to patient
Download & Transmit functions	portal to view encounter summaries of their choice as human
is performed. This will	readable C-CDAs and download the C-CDA without assistance.
demonstrate the portal as a key	Transmission of patient data will be sent to a provider (Edge
tool for the clinician to share the	Protocol) and a standard email address. This will meet § 170.315
patient's most current health	(e)(1).
information with the patient.	
Measure 9: Additionally, the	This same patient will be enabled to present their authenticated
patient will have the ability to	credentials to use a 3 rd -party application running on a patient-
access (by authentication) either	owned device to access either partial encounter summary data or
partial or full encounter	a full encounter summary. They will have the ability to view and or
summaries by way of an API call	transmit their information as they see fit. This will meet § 170.315
from a 3 rd -party application	(g)(7,8,9).
running on a patient-owned	
device to the API of the EHR.	
Measure 10: A selected practice	Authorized office practice staff member will perform an export of
staff member is observed	data from the production server in real-time (on demand) with a
successfully exporting bulk	specific start & end date immediately. This will be done without
patient data files on demand.	delay and sent to a specific file location decided by the staff
	member. This will be accomplished efficiently and with no error
	and the file will be inspected when received to ensure it is the file
	requested. Real world data will be used but demographic
	information will be changed to protect patient health information.



	This measure allows the capture of report data selected by and on
	demand without assistance from development staff. The ability to
	independently create reports is vital to office practices and integral
	to a certified EHR. Metasolutions Inc staff will verify the reports
	have been created successfully with requested data and sent to
	specific location through screenshots.
Measure 11: a selected practice	An authorized office staff member will perform a data export data
staff member is successfully	in the future - 5 minutes from current time - from the production
exporting a file at a single	server with a scheduled specific start & end date -such as
delayed time - with a specific	November 1 - November 2, 2021.This will be accomplished
start and end date in the future.	efficiently and with no error and the file will be inspected when
Start and the date in the ratare.	received to ensure it is the file requested. This measure allows the
	staff member to select a time in the future without assistance from
	development staff. The ability to independently create reports is
	vital to office practices and integral to a certified EHR.
	Metasolutions Inc staff will verify the reports have been created
	successfully and sent to a specific file location with requested data
	through screenshots.
Management 12: A colocted practice	An authorized staff member sets up a specific data export to run
Measure 12: A selected practice	· · ·
staff member sets an export for a	after the practice is closed. This measure allows the capture of
delayed future time during hours	report data selected by and on demand without assistance from
after the practice is closed and is	development staff. The ability to independently create reports is
able to run successfully. This	vital to office practices and integral to a certified EHR.
scheduled event will repeat as scheduled.	Metasolutions Inc staff will verify the reports have been created
scrieduled.	successfully with requested data and sent to specific location with
	screenshots that capture the activity. At the finish of Measure 12
Management 12: The properties staff	§ 170.315(b)(6) Data export will be satisfied.
Measure 13: The practice staff	An office staff member will be able to enter in the typical
will demonstrate the ability to	immunization administration data into the patient's record and
create immunization messages	generates HL7 v2.5.1 Z22 VXU immunization information
that can be transmitted to the	messages to an onboarded Immunization Registry, with the proper
Immunization Registry and	response of acceptance.
properly respond to the	
Immunization Registries return	
messages.	
Measure 14: The practice staff	An office staff member can receive the patient's immunization
will query Immunization Registry	history and forecast response in accordance with the standard at
to demonstrate the ability to	§170.205(e)(4) HL7 v2.5.1 Immunization Guide. The staff visualizes
support receipt of immunization	the display of the history and forecast information.
messages_from an onboarded	Measures 13 and 14 will satisfy the §170.315 (f)(1) criteria.
Immunization Registry and	
properly receives the patient's	



Immunization history and	
forecasted dates.	
Measure 15: The practice staff	An office staff member will aggregate the required information
demonstrates the ability to	and generates the syndromic surveillance messages for a patient
create and report Syndromic	for the Urgent Care setting type. They will generate the messages
Surveillance messages that can	to an onboarded public health entity.
be transmitted to a public health	Measure 15 will satisfy the §170.315 (f)(2) criteria.
system (compliant to the Urgent	
Care setting).	
Measure 16: The practice staff	The certified EHR technology will demonstrate how it can work
can create and maintain a table of	with and maintain a table of trigger codes that will determine the
trigger codes to determine which	encounters that will initiate, and initial case report being sent to a
encounters should initiate and	public health agency.
initial case report being sent to a	We will demonstrate that when a trigger is matched it creates an
public health agency.	initial case report that includes the following data:
	 Common Clinical Data Set (CCDS) – 2015 Edition
	 Encounter diagnoses (using SNOMED CT®)
	Provider name
	Office contact information
	Reason for visit
	Measure 16 will satisfy the §170.315 (f)(5) criteria.
Measure 17: The practice staff	The office staff will be able to create the appropriate Healthcare
will be able to produce	Survey for the Ambulatory/Outpatient care setting. Additionally,
Healthcare Surveys compliant to	ZoomMD is enabled to create visit records to allow for the correct
the NHCS IG Release 1.2.	number of outpatient visits to be submitted within the last 12
ZoomMD will produce	months. Measure 17 will satisfy the §170.315 (f)(7) criteria.
Ambulatory surveys.	

ASSOCIATED CERTIFICATION CRITERIA

Measurement/Metric	Associated Certification Criteria
Measures 1 - 9 will be	
completed in one session.	
Measure 1	§ 170.315(b)(1) Transitions of care - Receive
Measure 2	§ 170.315(b)(2) Clinical Information Reconciliation and Incorporation
Measure 3	§ 170.315(b)(3) e-Prescribing
Measure 4	§ 170.315(c)(1) Record and Export
Measure 5	§ 170.315(c)(2) Import and Calculate
Measure 6	§ 170.315(c)(3) Report
Measures 7	§ 170.315(b)(1) Transitions of care - Send
Measure 8	§ 170.315 (e)(1) View, Download and Transmit to 3rd party



Measure 9	§ 170.315 (g)(7, 8, 9) API
Measure 10 - 12	§ 170.315(b)(6) Data export
Measure 13	§ 170.315(f)(1) Transmission to Immunization Registries - Send
Measure 14	§ 170.315(f)(1) Transmission to Immunization Registries – History and Forecast
Measure 15	§ 170.315(f)(2) Transmission to Public Health Agencies – Syndromic Surveillance
Measure 16	§ 170.315(f)(5) Transmission to Public Health Agencies – Electronic Case Reporting
Measure 17	§ 170.315(f)(7) Transmission to Public Health Agencies – Health Care Surveys

JUSTIFICATION FOR SELECTED MEASUREMENT/METRIC

Measurement/Metric	Justification
Measure 1: Clinician logs into ZoomMD and receives a C-CDA from a referring provider via Direct Protocol with no Tech Support and no errors. C-CDA has demographic information adjusted so PHI is not visible. Successful receipt of C-CDA is achieved and observed.	The ability to electronically receive a C-CDA, without developer assistance, from another provider and or point of service by using the Edge Protocol is integral to the exchange of data and interoperability and inherent in a certified EHR. The C-CDA will use the Common Clinical Data Set standard.
Measure 2: The C-CDA is validated, and Clinical Information Reconciliation is performed. No errors are expected.	A clinician must be able to perform clinical information reconciliation and incorporation for medication, medication allergy and the problems effectively, without developer assistance. As a result, a revised C-CDA using the Common Clinical Data Set standard will be created which can then be shared with additional clinicians and be sent to the patient portal for patient access. The ability to do this as part of the test plan will show how clinicians can complete this task efficiently and without error. The most current information will be available to both clinicians and the patient as required by a certified EHR.
Measure 3: The ability to review and approve a prescription refill requests and to create and transmit a new e-Prescriptions. No errors are expected.	An important part of certified EHR technology is the ability to review, create and electronically send patient prescriptions. Included in this functionality are the ability to refill prescriptions, review drug formularies, receive drug-drug and drug-allergy alerts as well and to easily send the prescriptions to the pharmacy of the patient's choice.



Measure 4: Documentation of Medications (CQM68) is done without assistance. No errors are expected.	A clinician must be able to perform medication reconciliation and enter proper documentation into the record without developer assistance. The clinician's actions will be captures and logged to indicate that the requirement for a given eCQM (CMS68) has been satisfied. Additionally, the ZoomMD EHR will be able to generate a QRDA format of the eCQM for export purposes. The ability to do this as part of the test plan will show how clinicians can complete this task efficiently and without error.
Measure 5: The ability to for ZoomMD to use the imported and de-duplicated CQM data to calculate the aggregate reports for eCQM68 will be demonstrated.	 The certified EHR technology must be able to: Electronically import a data file formatted compliant to the QRDA Category I standard specified at §170.205(h)(2); De-duplicate imported test data Calculate aggregate reports based on the imported and deduplicated test data; and generate an aggregate report for each of the CQMs to be certified.
Measure 6: The results of the documentation of the eCQM68 is presented on a CQM Dashboard.	 The certified EHR technology must be able to: Generate a CQM Dashboard, on demand, without EHR developer assistance View the patients that make up the numerators, denominators, exceptions, and exclusions Review by reporting period and providers Allow for submission of the QRDA formatted file to a Registry and or the CMS QPP portal for submission.
Measure 7: Updated C-CDA is sent back to referring provider. Successful sending of the C-CDA is achieved and observed.	To complete the ability to bi-directionally participate in the interoperability of patient information the certified EHR technology must be able to allow providers to send a C-CDA using the Edge Protocol, and the Common Clinical Data Set standard.
Measure 8: Access via patient portal - Observation of the View, Download & Transmit functions is performed. This will demonstrate the portal as a key tool for the clinician to share the patient's most current health information with the patient. The amount of time should be no more than 3 minutes total for 3 tasks and there should be no errors.	The patient portal is vital to all patients. Patients will be able to login at any time and view their most current information as well as share it with any other clinicians they might choose to visit. This allows the exchange of information by the patients themselves which is key to giving control of their health information. This is an essential part of certified EHR technology.



Measure 9: Additionally, the patient will have the ability to access (by authentication) either partial or full encounter summaries by way of an API call from a 3 rd -party application running on a patient-owned device to the API of the EHR.	The certified EHR technology must provide the patient with an additional ability to obtain their medical information via a request from an application of their own, outside of the domain of an EHR. This functionality will supplement the capabilities that are achieved with a patient portal.
Measure 10: Practice staff member is observed successfully exporting data files on demand.	Exporting data on demand is an essential requirement for a clinical practice with a certified EHR. A selective member of the office staff needs the capability of doing this immediately and successfully without developer assistance.
Measure 11: Practice staff member is successfully exporting a file at a delayed time - with a specific start and end date.	Exporting data at a relative time is a requirement for a clinical practice with a certified EHR. A selective member of the office staff needs the capability of doing this successfully without developer assistance.
Measure 12: Practice staff member sets an export for a delayed time during hours after the practice is closed and is able to run successfully.	Exporting a specific report with large amount of data after hours is an essential requirement for a clinical practice with a certified EHR. A selective member of the office staff needs the capability of doing this successfully without developer assistance. The certified EHR requires this capability to avoid placing undue load on the technology during regular business hours and allows the staff member to place the files in a location of their choice.
Measure 13: The practice staff will demonstrate the ability to create immunization messages that can be transmitted to the Immunization Registry and properly respond to the Immunization Registries return messages.	The creation of immunization information for electronic transmission to an appropriate Registry is an important part of the information sharing of the patient's immunization status. The EHR must use HL7 immunization messages that can be transmitted to an Immunization Registry. The full range of immunizations that can be administered are supported.
Measure 14: The practice staff will query Immunization Registry to demonstrate the ability to support receipt of immunization messages from an onboarded	The certified EHR technology needs to complete the immunization process by providing a message response and to display a patient's evaluated immunization history and immunization forecast from an immunization registry.



Immunization Registry and properly receives the patient's Immunization history and forecasted dates.	
Measure 15: The practice staff demonstrates the ability to create and report Syndromic Surveillance messages that can be transmitted to a public health system (compliant to the Urgent Care setting).	The certified EHR technology must demonstrate the ability to create syndromic surveillance messages that can be transmitted to a public health system. The minimum method will correspond to the within the Urgent Care point of service. This group of tests are for the creation of syndromic surveillance information for electronic transmission.
Measure 16: The practice staff can create and maintain a table of trigger codes to determine which encounters should initiate and initial case report being sent to a public health agency.	The certified EHR technology will demonstrate that it can consume and maintain a table of trigger codes to determine which encounters should initiate and initial case report being sent to a public health agency. Demonstrate that when a trigger is matched, create an initial case report that includes the following data: • Common Clinical Data Set (CCDS) – 2015 Edition • Encounter diagnoses (SNOMED CT®) • Provider name • Office contact information • Reason for visit • Identifier representing the row and version of the trigger table that triggered the case report
Measure 17: The practice staff will be able to produce Ambulatory Healthcare Surveys compliant to the NHCS IG Release 1.2.	The certified EHR technology will support the creation of Healthcare Survey CDA documents. The certified EHR must be able to create CDA healthcare survey documents for the care setting that it is used (Outpatient). In addition, there are additional visit records to be loaded to allow for the correct number of outpatient visits within the last 12 months.

CARE SETTING(S)

Care Setting	Justification
Facilities:	The ZoomMD is currently used by providers in multiple points of service
 Ambulatory 	and multiple specialties. This test plan will demonstrate that the overall
Specialties:	functionality is the same regardless of the facility or specialty. We will get
 Internal Medicine 	feedback from Internal Medicine, Cardiology, Behavioral Health, and
 Cardiology 	Dermatology. Additionally, we will document that the EHR performs the
 Pediatrician 	same in different facilities. The overall process will be the same in all
	specialties. However, we will confirm that the EHR accommodates the
	specific workflow of each specialty.



We will be conducted the Real World Testing with clinicians from the
listed care settings with between 1-5 clinicians, these are the
Metasolutions Inc's target audience.
Real patient data will be deidentified and the testing will be using a
mirrored production environment.
The ability to complete all measures successfully with these practices will
be documented through observation of the completed tasks. Deviations
from the designed process, if any, will be noted and addressed.

EXPECTED OUTCOMES

Measurement / Metric	Expected Outcomes
§ 170.315(b)(1) Transitions of care (Receive)	 The Real World Testing will demonstrate that the clinician can receive C-CDA R2.1 C-CDA Document payload type in the designated setting. Using the Edge Protocol SMTP protocol, both Referral Notes and Discharge Summaries will be evaluated. The received document will be evaluated for the ability to: Receive and validate and display any recorded errors if not a valid C-CDA documents. Parse and present a pre-configured human readable display of all Common Clinical Data Set data from the relevant C-CDA formatted to the CCDS standard. ZoomMD is compliant with standards for these criteria and vocabulary code sets in all of these measures. A 0% error rate is expected.
§ 170.315(b)(2) Clinical Information Reconciliation and Incorporation	The Real World Testing will demonstrate that the receiving clinician will be able to validate the C-CDA, compliant to the Common Clinical Data Set, perform reconciliation successfully for medication, medication allergy and problems at any time without delay and create an updated C-CDA, compliant to the Common Clinical Data Set, as required to demonstrate EHR exchange of information and interoperability. A 0% error rate is expected.
170.315(b)(3) Electronic Prescribing	The Real World Testing will demonstrate that the clinician can perform the following prescription-related transactions in accordance with established required standard as follows: • Create new prescription with full sig • Change prescriptions



	 Transmit to pharmacy of choice and receive notification of success. A 0% error rate is expected.
§ 170.315(b)(1) Transitions of care (Send)	The Real World Testing will demonstrate that the clinician can send R2.1 C-CDA Referral Notes and Discharge Summaries compliant to the Common Clinical Data Set using the SMTP Edge Protocol. We will successfully validate the receipt of the sent documents. A 0% error rate is expected.
§ 170.315 (e)(1) View, Download and Transmit to 3rd party	The Real World Testing will demonstrate that the clinician can enable patients (and their authorized representatives) to view, at a minimum, the Common Clinical Data Set; laboratory test report(s); and diagnostic image reports. Enable patient (and their authorized representative) to view for health information filtered by a specific date and date range. Enable patient (and their authorized representatives) to download an ambulatory or inpatient summary (as applicable to setting) in the following formats: • Human readable format • Format C-CDA document summary will include, at a minimum, the Common Clinical Data Set; laboratory test report(s); diagnostic image reports. For all settings, patients (and their authorized representatives) will be able to transmit the C-CDA summary through both: • Email transmission to any email address • The Edge protocol of electronic transmission • When transmitted, the ambulatory or inpatient summary will be compliant to the Common Clinical Data Set; laboratory test report(s); diagnostic image reports; and: • Enable patient (and their authorized representative) to download for health information filtered by a specific date and date range. For all view, download, and transmit capabilities, the following information will be recorded and made accessible to the patient (and authorized representative): • The action that occurred • The date and time each action occurred • The date and time each action; and the addressee to whom the summary was transmitted A 0% error rate is expected. The Real World Testing will demonstrate that the clinician has the functional to within a capability wi
	functionality within ZoomMD to receive a request with sufficient information to uniquely identify a patient and return an ID or other token that can be used by an application to subsequently execute requests for that patient's data.



§ 170.315(g)(7,8,9) API	The EHR will demonstrate the functionality to respond to requests for		
	patient data for partial or all of the data categories specified in the		
	Common Clinical Data Set at one time and return such data (according		
	to the specified standards, where applicable) in a summary record		
	formatted according to the standard adopted C-CDS standard. The		
	requests will respond to requests for patient data associated with a		
	specific date as well as requests for patient data within a specified date		
	range. A 0% error rate is expected.		
	The Real World Testing will demonstrate that a limited clinician group		
	are enabled to set the configuration options when creating an export		
	summary as well as a set of export summaries for patients whose		
	information is stored in ZoomMD. A clinician within the limited group		
	is able to execute these capabilities at any time the user chooses and		
	without subsequent developer assistance to operate.		
	The limited set of clinicians are enabled to create export summaries		
	formatted in accordance with the standard specified using the C-CDA		
	that is compliant to the Common Clinical Data Set.		
	The limited set of clinicians are enabled to set the date and time period		
	(Start and End Dates) within which data would be used to create the		
	export summaries. They can:		
	 Create export summaries in real-time 		
§ 170.315(b)(6) Data export	 Create export summaries based on a relative date and 		
	time (e.g., the first of every month at 1:00am)		
	 Create export summaries based on a specific date and 		
	time (e.g., on 10/24/2015 at 1:00am)		
	The limited set of clinicians are enabled to set the storage location to		
	which the export summary or export summaries are intended to be		
	saved. A 0% error rate is expected.		



	The Real World Testing will demonstrate that the clinician can Health		
	IT module must:		
	 Record immunization content and generate the HL7 v2.5.1 		
	Z22 VXU immunization information messages		
§ 170.315(f)(1) Transmission to Immunization Registries - Send	 Consume the associated acknowledgement (ACK) messages according to the §170.205(e)(4) HL7 v2.5.1 Immunization Guide Generate evaluated immunization history and forecast query messages Receive and display HL7 evaluated immunization history and forecast response Support §170.207(e)(3) CVX codes for historical vaccines Support §170.207(e)(4) National Drug Code Directory – vaccine codes for administered vaccines Compliance to the CDC-defined NIP003-Immunization Information Source value set specified in §170.205(e)(4) HL7 v2.5.1 Immunization Guide 		
	Additional value set from the §170.205(e)(4) HL7 v2.5.1 Immunization		
	Guide to be selected and inspected by Proctor to verify compliance. A		
	0% error rate is expected.		
§ 170.315(f)(1) Transmission	The Real World Testing will demonstrate that the clinician can record		
to Immunization Registries –	immunization content and generate the HL7 v2.5.1 Z22 VXU		
History and Forecast	immunization information messages. Additionally, they will receive		
	and display HL7 evaluated immunization history and forecast		
	responses. A 0% error rate is expected.		
§ 170.315(f)(2) Transmission	The Real World Testing will demonstrate that the clinician can record		
to Public Health Agencies –	syndromic surveillance content and generate the HL7 v2.5.1 ADT		
Syndromic Surveillance	according to the §170.205(d)(4) HL7 v2.5.1 PHIN Messaging Guide. A		
	0% error rate is expected.		
	The certified EHR technology must demonstrate that it can consume		
	and maintain a table of trigger codes to determine which encounters		
	should initiate and initial case report being sent to a public health		
	agency.		
§ 170.315(f)(5) Transmission	Demonstrate that when a trigger is matched, create an initial case		
to Public Health Agencies –	report that includes the following data:		
Electronic Case Reporting	Common Clinical Data Set (CCDS) – 2015 Edition		
	Encounter diagnoses (using SNOMED CT®)		
	Provider name		
	Office contact information		
	Reason for visit		
	Identifier representing the row and version of the trigger table that		
	triggered the case report. A 0% error rate is expected.		



§ 170.315(f)(7) Transmission to Public Health Agencies – Healthcare Surveys The certified EHR technology must support the creation of Healthcare Survey CDA documents. The certified EHR must be able to create CDA healthcare survey documents for the care setting that it is used (Outpatient). In addition, there are additional visit records to be loaded to allow for the correct number of outpatient visits within the last 12 months. A 0% error rate is expected.

SCHEDULE OF KEY MILESTONES

Key Milestone	Care Setting	Date/Timeframe
Prepare the ZoomMD application for use in collecting data to support the RWT plan.	Facilities:	December 2021
Identify the users and practices that will participate in the test plan	Facilities:	December 2021 & January 2022
Confirm that the Real World Test Plan participants are able to log into their accounts and are ready to start the RWT plan documentation	Facilities:	January 2022
Conduct the series of Real World Testing with the participants on a regular basis (minimum, once a quarter) to obtain feedback on their progress and or if there are any issues to address.	Facilities:	Quarterly 2022



End the Real World Test to coincide with the end of the Year.	Facilities:	December 2022
Real World Test analysis and generation of the report	Facilities:	January 2023
Submit Real World Test Report to ACB before established deadline	Facilities:	February 2023

ATTESTATION

This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the health IT developer's Real World Testing requirements.

Authorized Representative Name: P. S. L. Narasimha Rao

Authorized Representative Email: spaluri@metasolutionsinc.com

Authorized Representative Phone: 562-309-4312

Authorized Representative Signature:

Date: 11-12-2021

P.S.L. Naroviha Rao